
Florida: Most Common Causes of Death

- Total cardiovascular diseases (principally ischemic heart disease and stroke) are the most common cause of death in Florida, all cancers are the second most common cause, chronic obstructive pulmonary disease is fourth, and diabetes is sixth.
- In 1995, 73% of all deaths in Florida were due to the four most common chronic disease causes of death.
- The death rates for total cardiovascular diseases, all cancers, chronic obstructive pulmonary disease, and diabetes were lower in Florida than in the United States.

Causes of Death, Florida Compared With United States, 1995*




^{*}All data are age adjusted, 1970 total U.S. population.

^{**}Total cardiovascular disease death rates include rates of death due to ischemic heart disease (132.0 per 100,000 in Florida and 135.2 per 100,000 in the United States) and rates of death due to stroke (36.6 per 100,000 in Florida and 42.5 per 100,000 in the United States).


Florida: Cardiovascular Diseases

- Total cardiovascular diseases are the most common cause of death in Florida, accounting for 37% of all deaths.
- Ischemic heart disease accounted for 54% of all cardiovascular disease deaths in Florida in 1995; 34,970 people in Florida died of ischemic heart disease.
- In 1995, 9,895 people in Florida died of stroke.


Florida: Total Cardiovascular Disease Death Rates



Florida: Ischemic Heart Disease Death Rates




Florida: Stroke Death Rates





Note: All data are age adjusted, 1970 total U.S. population.


Florida: Cancer

- Cancer accounted for 25% of all deaths in Florida in 1995; 37,320 people in Florida died of cancer.
- In Florida in 1995, 11,231 people died of lung cancer, 3,783 people died of colorectal cancer, and 2,859 women died of breast cancer.
- The American Cancer Society estimates that 13,400 new cases of lung cancer, 8,900 new cases of colorectal cancer, and 11,800 new cases of breast cancer will be diagnosed in Florida in 1997.










Note: All data are age adjusted, 1970 total U.S. population.

Florida


Florida: Diabetes

- In 1994, 541,312 adults in Florida had diagnosed diabetes.
- Diabetes was the underlying cause of 3,680 deaths in Florida in 1995.
- In 1993, diabetes was the most common contributing cause of 1,022 new cases of end-stage kidney disease in Florida.
- Diabetes is believed to be underreported on death certificates, both as a condition and as a cause of death.




Note: All data are age adjusted, 1970 total U.S. population.

Florida: Risk Factors




*Ever smoked at least 100 cigarettes and now smoke every day or some days.



*No exercise, recreation, or physical activity (other than regular job duties) during the previous month.

Florida: Percentage of Adults Who Reported Being Overweight*



*Body mass index \geq 27.8 kg/m² for men and \geq 27.3 kg/m² for women.

Florida: Percentage of High School Students Who Reported Cigarette Smoking

By Sex, 1995 YRBSS

YRBSS data not available

Florida: Percentage of High School Students **Not Enrolled in Physical Education Classes**


By Sex, 1995 YRBSS

YRBSS data not available

Note: All BRFSS data are provisional and age adjusted, 1970 total U.S. population.

Florida


Florida: Risk Factors



Florida: Percentage of High School Students Who Reported Eating Fewer Than Five Servings of Fruits and Vegetables on the Day Preceding the Survey By Sex, 1995 YRBSS

YRBSS data not available

Florida: Preventive Services



Note: All BRFSS data are provisional and age adjusted, 1970 total U.S. population.